




Artikel-Nr.	M	P	L	l	l1	d	a	Z	WG
48139125	2	0,4	45	3,2	10	2,8	2,1	2	402
48139133	2,5	0,45	50	3,6	13	2,8	2,1	2	402
48139138	3	0,5	56	4	18	3,5	2,7	3	402
48139144	4	0,7	63	5,6	21	4,5	3,4	3	402
48139149	5	0,8	70	6,4	25	6	4,9	3	402
48139155	6	1	80	8	30	6	4,9	3	402
48139161	8	1,25	90	10	35	8	6,2	3	402
48139169	10	1,5	100	12	39	10	8	3	402



Artikel-Nr.	M	P	L	l	l1	d	a	Z	WG
48139179	12	1,75	110	14		9	7	3	402
48139191	14	2	110	16		11	8	3	402
48139202	16	2	110	16		12	9	3	402
48139214	18	2,5	125	25		14	11	4	402
48139228	20	2,5	140	25		16	12	4	402
48139238	22	2,5	140	25		18	14,5	4	402
48139247	24	3	160	30		18	14,5	4	402

Gewindebohrer mit IKZ, Feingewinde, UNF und UNC-Gewinde auf Anfrage





Artikel-Nr.	M	P	L	l	l1	d	a	Z	WG
48145125	2	0,4	45	8	Typ 1	2,8	2,1	2	402
48145133	2,5	0,45	50	9	Typ 1	2,8	2,1	2	402
48145138	3	0,5	56	11	18	3,5	2,7	3	402
48145144	4	0,7	63	13	21	4,5	3,4	3	402
48145149	5	0,8	70	16	25	6	4,9	3	402
48145155	6	1	80	19	30	6	4,9	3	402
48145161	8	1,25	90	22	35	8	6,2	3	402
48145169	10	1,5	100	24	39	10	8	3	402




48145179	12	1,75	110	29		9	7	3	402
48145191	14	2	110	30		11	8	3	402
48145202	16	2	110	32		12	9	3	402
48145214	18	2,5	125	34		14	11	3	402
48145228	20	2,5	140	34		16	12	3	402
48145238	22	2,5	140	34		18	14,5	3	402
48145247	24	3	160	38		18	14,5	3	402

Gewindebohrer mit IKZ, Feingewinde, UNF und UNC-Gewinde auf Anfrage





Type 1



Type 2

Artikelnr.	M	P	L	l1	d	a	BohrØ	Z	Type	WG
48030111	1	0,25	40	5,5	2,5	2,1	0,89-0,90	0	1	402
48030113	1,2	0,25	40	5,5	2,5	2,1	1,09-1,10	0	1	402
48030115	1,4	0,3	40	7	2,5	2,1	1,26-1,28	0	1	402
48030118	1,6	0,35	40	8	2,5	2,1	1,45-1,48	0	1	402
48030125	2	0,4	45	8	2,8	2,1	1,82-1,86	0	1	402
48030133	2,5	0,45	50	9	2,8	2,1	2,29-2,33	0	1	402
48030138	3	0,5	56	18	3,5	2,7	2,78-2,82	4	2	402
48030144	4	0,7	63	21	4,5	3,4	3,67-3,72	4	2	402
48030149	5	0,8	70	25	6	4,9	4,62-4,68	5	2	402
48030155	6	1	80	30	6	4,9	5,52-5,59	5	2	402
48030161	8	1,25	90	35	8	6,2	7,37-7,45	5	2	402
48030169	10	1,5	100	39	10	8	9,24-9,33	8	2	402



Artikelnr.	M	P	L	l	d	a	BohrØ	Z	WG
48030179	12	1,75	110	17	9	7	11,10-11,20	8	402
48030191	14	2	110	20	11	9	12,96-13,08	8	402
48030202	16	2	110	20	12	9	14,96-15,08	8	402
48069214	18	2,5	125	20	14	11	16,66-16,81	8	402
48069228	20	2,5	140	20	16	12	18,66-18,81	8	402